

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	235	tdm and pdh and sdh	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 08:00
S2	18	S1 and plug\$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 08:00
S3	1	S1 and plug\$1in and memory adj bank\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 08:06
S4	13	S1 and plug\$1in and memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 08:06
S5	6	S4 and redundant	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 08:21
S6	5	S5 and processor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 08:53
S7	0	S1 and memory near upgrade\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:11

S8	0	memory adj bank \$1 near upgrade\$4 near operable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:12
S9	1	memory adj bank \$1 near upgrade\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:12
S10	1	memory adj bank \$1 with upgrade\$4 with operable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:16
S11	51	memory adj bank \$1 near operable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:16
S12	0	memory adj bank \$1 near operable and upgrade\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:17
S13	1	memory adj bank \$1 same upgrade \$4 same operable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:18
S14	131	memory same upgrade\$4 same operable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:18
S15	34	memory with upgrade\$4 with operable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:19

S16	1	memory with upgrade\$4 with operable with interchange\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:24
S17	2	memory same upgrade\$4 same operable same interchange\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:25
S18	1	memory with bank \$ with upgrade\$4 with operable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:39
S19	1	memory with bank \$ with upgrade\$4 with interchange \$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:39
S20	99	memory with bank \$ with upgrade\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 09:39
S21	1	S1 and basic adj node adj software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:03
S22	0	basic adj node adj software and traffic adj node adj basic adj node adj hardware adj building adj block \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:04
S23	0	traffic adj node adj basic adj node adj hardware adj building adj block \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:04

S24	145	S1 and software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:05
S25	6	S5 and software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:05
S26	1	hot adj swap\$4 with signal with interval adj time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:25
S27	2	hot adj swap\$4 same signal same interval adj time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:26
S28	12	hot adj swap\$4 near plug\$in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:27
S29	0	hot adj swap\$4 near plug\$in near signal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:35
S30	0	hot adj swap\$4 near signal near time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:37
S31	41	hot adj swap\$4 with signal with time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:37

S32	6	hot adj swap\$4 with plug\$in with remov\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:45
S33	34	hot adj swap\$4 and plug\$in with remov\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:47
S34	0	indicat\$3 near remov\$3 near activat\$3 near plug \$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:49
S35	2	indicat\$3 with remov\$3 with activat\$3 with plug \$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 10:50
S36	0	signal near activat \$3 near remov\$3 near plug\$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:08
S37	92	signalwith activat \$3 with remov\$3 with plug\$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:09
S38	5	signal with activat \$3 with remov\$3 with plug\$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:09
S39	0	removal adj interval near plug \$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:41

S40	1	removal adj interval with plug \$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:41
S41	1	removal adj interval same plug \$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:41
S42	2	(remov\$3 pull\$3) adj interval same plug\$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:42
S43	7	(remov\$3 pull\$3) adj interval same (board card)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:43
S44	0	board adj removable adj interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:45
S45	1	board adj removal adj interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:45
S46	1	board adj replace \$4 adj interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:46
S47	536	replace\$4 adj interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:46

S48	1	replace\$4 adj interval near (card PCB board)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:46
S49	4	hot adj swap\$4 near interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:49
S50	7	plug\$1in near interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:54
S51	3	replac\$3 with plug \$1in with interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 11:59
S52	50	replac\$3 with (card board pcb) with interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:03
S53	7	remov\$3 with replac\$3 with (card board pcb) with interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:03
S54	7	remov\$3 with replac\$3 with (card board pcb plug\$1in) with interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:05
S55	26	hot adj swap\$4 with time adj interval\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:06

S56	35	hot adj swap\$4 with interval\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:07
S57	0	node with temprature with sensor\$1 with alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:44
S58	0	node\$1 with temprature with sensor\$1 with alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:44
S59	0	PCB with temprature with sensor\$1 with alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:44
S60	3	PCB with temperature with sensor\$1 with alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:45
S61	21	node\$1 with temperature with sensor\$1 with alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:46
S62	86	temperature with sensor\$1 with alarm\$1 with board	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:48
S63	277	temperature with sensor\$1 with alarm\$1 with (board interface card pcb)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:51

S64	13	node\$1 with temperature adj sensor\$1 with alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:54
S65	114	interface with temperature adj sensor\$1 with alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 12:56
S66	122	monitor\$3 with node\$ with temperature with sensor\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:01
S67	0	measur\$3 near temprature near (PCB board\$1 card \$1 interface\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:07
S68	249	measur\$3 near temperature near (PCB board\$1 card \$1 interface\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:07
S69	0	alarm\$1 near high adj temperature near excessive adj temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:27
S70	7	alarm\$1 with high adj temperature with excessive adj temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:27
S71	1	S70 and severity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:42

S72	0	temperature with sensor\$1 with severity with critical with minor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:43
S73	4	temperature with sensor\$1 with severity and critical and minor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:44
S74	0	severity near critical near minor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:45
S75	64	severity near critical and minor	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:45
S76	6	severity near critical and high adj temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:47
S77	0	severity near minor near critical and high adj temperature and excessive adj temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:49
S78	2	high adj temperature and excessive adj temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:49
S79	1	severity with high adj temperature with excessive adj temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:51

S80	15	severity with threshold with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 13:52
S81	589	set\$4 with severity with level\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:02
S82	0	set\$4 with severity with level\$1 with threshold with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:02
S83	0	set\$4 with severity with level\$1 and threshold and temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:03
S84	61	set\$4 with severity with level\$1 and threshold and temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:03
S85	1	set\$4 with severity with level\$1 with threshold with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:04
S86	1	node with normal with temperature with threshold with alarm with shut\$4 adj down	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:11
S87	1	node with temperature with threshold with alarm with shut\$4 adj down	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:12

S88	1	node same temperature same threshold same alarm same shut \$4 adj down	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:12
S89	842	node and temperature and threshold and alarm\$1 and shut \$4 adj down	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:13
S90	0	severity near threshold near temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:17
S91	15	severity with threshold with temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:18
S92	1	S2 and power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:51
S93	1	S1 and power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:52
S94	0	plug\$1in near power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:52
S95	4	plug\$1in with power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:52

S96	1	warm adj reset with power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:53
S97	6	warm adj reset and power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:54
S98	1	S2 and power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 14:56
S99	1	S15 and power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:00
S100	1	S20 and power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:01
S101	1	S1 and power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:01
S102	0	plug\$1in with power adj reset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:18
S103	1	plug\$1in with warm adj reset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:18

S104	193	severity same threshold same temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:27
S105	1	plug\$in same severity same threshold same temperature	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:34
S106	0	node with normal adj operation with temperature with threshold with severity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:41
S107	0	node same normal adj operation same temperature same threshold same severity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:41
S108	675	node and normal adj operation and temperature and threshold and severity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:41
S109	547	node and normal adj operation and temperature and threshold and severity and minor and critical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:42
S110	1	node and normal adj operation and temperature and threshold and severity and minor and critical and alarm and power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:43

S111	109	node and normal adj operation and temperature and threshold and severity and minor and critical and alarm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:43
S112	1	S70 and severity	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:53
S113	4	severit\$3 with temperature with threshold\$1 with alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:56
S114	28	severit\$3 same temperature same threshold\$1 same alarm\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 15:59
S115	1	warm adj reset same power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 16:52
S116	1	S2 and warm adj reset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 16:53
S117	1	S2 and power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 16:53
S118	72	plug\$in and power adj save	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 16:53

S119	1	plug\$in and power adj save and warm adj reset	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/07 16:54
S120	235	tdm and pdh and sdh	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 08:06
S121	1	S120 and monitor \$3 near fan\$1 near status	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 08:06
S122	1	S120 and monitor \$3 with fan\$1 with status	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 08:06
S123	10	node with monitor \$3 with fan\$1 with status	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 08:06
S124	0	node with monitor \$3 with fan\$1 with status with fail\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 08:16
S125	269	software near module\$1 near version\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 11:47
S126	0	software near module\$1 near version\$1 near operat\$3 near application	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 11:48

S127	1	plug\$1in with processor with configuration with radio adj link with antenna\$1 with upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:14
S128	37	plug\$1in and processor\$1 and configuration and radio adj link and antenna\$1 and upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:14
S129	18	installat\$3 and plug\$1in and processor\$1 and configuration and radio adj link and antenna\$1 and upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:32
S130	0	installat\$3 near step\$1 and plug\$1in and processor\$1 and configuration and radio adj link and antenna\$1 and upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:37
S131	0	installat\$3 near step\$1 near plug\$1in near configuration near radio adj link\$1 near upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:38
S132	1	installat\$3 with step\$1 with plug\$1in with configuration with radio adj link\$1 with upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:39
S133	1	installat\$3 same step\$1 same plug\$1in same configuration same radio adj link\$1 same upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:39

S134	0	installat\$3 near step\$1 near plug \$1in near wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:40
S135	0	installat\$3 near step\$1 with plug \$1in with wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:40
S136	77	installat\$3 near step\$1 and plug \$1in and wireless	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:40
S137	3	installat\$3 near step\$1 near plug \$1in	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:41
S138	1	plug\$1in with power with removal with configuration with upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:43
S139	1	plug\$1in same power same removal same configuration same upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 12:43
S140	0	S128 and factory adj setting and manual adj upgrad \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:20
S141	0	delet\$3 with replac \$4 with factory adj set\$4 with software with upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:21

S142	0	replac\$4 with factory adj set\$4 with software with upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:22
S143	37	replac\$4 with factory adj set\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:22
S144	0	factory adj set\$4 near software near upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:23
S145	0	factory adj settings near software near upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:24
S146	0	factory near settings near software near upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:24
S147	0	S128 and manual near software near upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:25
S148	17	manual near software near upgrade\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:25
S149	1	software near upgrade\$1 with manual with inventory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:26

S150	0	specify\$3 near load \$3 near automatic near display\$3 near configuration near file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:46
S151	0	specify\$3 near load \$3 near automatic near display\$3 near configuration near file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:46
S152	0	specify\$3 near load \$3 near configuration near file	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:47
S153	90	specify\$3 near configuration near file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:47
S154	1	specify\$3 near configuration near file\$1 and load\$3 adj file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:47
S155	1	automatic adj upgrade\$1 and display\$3 near inventory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:49
S156	0	automatic adj upgrade\$1 and display\$3 near dat	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:49
S157	35	automatic adj upgrade\$1 and display\$3 near data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:50

S158	7	S157 and configuration adj file\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/08 13:51
------	---	--	---	----	-----	---------------------

7/ 8/ 2009 3:15:14 PM

C:\ Documents and Settings\ manwar\ My Documents\ EAST\ Workspaces\ 10595136.wsp